

Stereotactic Body Radiation Therapy Policy

CVS Health considers stereotactic body radiation therapy (SBRT) medically necessary for the treatment of many tumor types. SBRT is type of radiation, delivered over 1-5 fractions, that uses a high dose of radiation per fraction in appropriate clinical scenarios. SBRT is particularly useful in delivering high doses of radiation in few fractions to tumors located in proximity to vital structures, or to tumors when a higher biologically effective dose (BED) is required. SBRT can be delivered by a linear accelerator (LINAC), Cyberknife, or other similar technologies. Accounting for intra- and inter-fraction motion is a key component of the delivery of SBRT and can be achieved using a combination of body immobilization, the real-time use of skeletal landmarks, and/or fiducial markers. In certain clinical scenarios, SBRT has been shown to be superior in outcomes compared to standard fractionated radiation therapy delivered using IMRT or conformal radiotherapy. When considering the medical necessity of IMRT, CVS Health considers the cancer stage, the treatment intent, extent of disease, if the overall treatment plan incorporates surgery and/or systemic, and performance status.

CVS Health considers SBRT medically necessary for the following indications and after consideration of cancer stage, the treatment intent, performance status, and other clinical factors:

- Liver or hepatobiliary cancer, Stage I-II or
- Pancreatic cancer, stage I-III, unresectable; or
- Lung cancer, Stage I-IIA; or
- Prostate cancer, organ-confined; or
- Recurrent disease requiring reirradiation including:
 - spine metastases requiring palliation
 - any tumor that cannot be safely by other RT methods due to exceeding standard accepted dose constraints; or
- Metastatic Breast, Non-Small Cell Lung, Colorectal, Renal Cell, and Prostate Cancers, Sarcoma, and Melanoma who meet the following criteria:
 - 1-3 total metastases
 - primary tumor has been or will be definitively addressed and is currently controlled
 - all sites of metastases are being treated in this course of SBRT
 - N.B. this is inclusive of spine metastases

The final medical necessity will be determined based on the terms of the member's benefit plan. Please check benefit plan descriptions.

References

1. Coffey RJ. Stereotactic radiosurgery and focused beam irradiation. In: Principles of Neurosurgery. SS Rengachary, RH Wilkens, eds. Ch. 42. London, UK: MosbyWolfe;1994.
2. Loeffler JS, Alexander E 3rd. Radiosurgery for the treatment of intracranial metastases. In: Stereotactic Radiosurgery. E Alexander, JS Loeffler, LD Lunsford, eds. New York, NY: McGraw-Hill, Inc.; 1993:197-206.
3. Ganz JC, Backlund EO, Thorsen FA. The results of Gamma Knife surgery of meningiomas, related to size of tumor and dose. *Stereotactic Func Neurosurg.* 1993;61 Suppl 1:23-29.
4. Kondziolka D, Lunsford LD, Coffey RJ, Flickinger JC. Gamma Knife radiosurgery of meningiomas. *Stereotactic Func Neurosurg.* 1991;57(1-2):11-21.
5. Coffey RJ, Nichols DA, Shaw EG. Stereotactic radiosurgical treatment of cerebral arteriovenous malformations. Gamma Unit Radiosurgery Study Group. *Mayo Clin Proc.* 1995;70(3):214-222.
6. Fukuoka S, Suematsu K, Nakamura J. Gamma knife radiosurgery for arteriovenous malformation. *Nippon Rinsho.* 1993;51(Suppl):353-358.
7. Guo WY, Lindquist C, Karlsson B, et al. Gamma Knife surgery of cerebral arteriovenous malformations: Serial MR imaging studies after radiosurgery. *Int J Radiat Oncol Biol Phys.* 1993;25(2):315-323.
8. Guo WY, Wikholm G, Karlsson B, et al. Combined embolization and Gamma Knife radiosurgery for cerebral arteriovenous malformations. *Acta Radiologica.* 1993;34(6):600-606.
9. Flickinger JC, Lunsford LD, Linskey ME, et al. Gamma Knife radiosurgery for acoustic tumors: Multivariate analysis of four year results. *Radiotherapy Oncol.* 1993;27(2):91-98.
10. Kamerer DB, Lunsford LD, Moller M. Gamma Knife. An alternative treatment for acoustic neurinomas. *Ann Otol Rhinol Laryngol.* 1988;97(6 Pt 1):631-635.
11. Shrieve DC, Alexander E 3rd, Black PM, et al. Treatment of patients with primary glioblastoma multiforme with standard postoperative radiotherapy and radiosurgical boost: Prognostic factors and long-term outcome. *J Neurosurg.* 1999;90(1):72-77.
12. Masciopinto JE, Levin AB, Mehta MP, et al. Stereotactic radiosurgery for glioblastoma: A final report of 31 patients. *J Neurosurg.* 1995;82(4):530-535.
13. van Kampen M, Engenhart-Cabillic R, Debus J, et al. Value of radiosurgery in first-line therapy of glioblastoma multiforme. The Heidelberg experience and review of the literature. *Strahlenther Onkol.* 1998;174(4):187-192.
14. van Kampen M, Engenhart-Cabillic R, Debus J, et al. The radiosurgery of glioblastoma multiforme in cases of recurrence. The Heidelberg experiences compared to the literature. *Strahlenther Onkol.* 1998;174(1):19-24.

15. Buatti JM, Friedman WA, Bova FJ, et al. Linac radiosurgery for high-grade gliomas: The University of Florida experience. *Int J Radiat Oncol Biol Phys.* 1995;32(1):205-210.
16. Gannett D, Stea B, Lulu B, et al. Stereotactic radiosurgery as an adjunct to surgery and external beam radiotherapy in the treatment of patients with malignant gliomas. *Int J Radiat Oncol Biol Phys.* 1995;33(2):461-468.
17. Chamberlain MC, Barba D, Kormanik P, et al. Stereotactic radiosurgery for recurrent gliomas. *Cancer.* 1994;74(4):1342-1347.
18. Sansur CA, Chin LS, Ames JW, et al. Gamma knife radiosurgery for the treatment of brain metastases. *Stereotact Func Neurosurg.* 2000;74(1):37-51.
19. Blomgren H, Lax I, Naslund I, et al. Stereotactic high dose fraction radiation therapy of extracranial tumors using an accelerator. Clinical experience of the first thirty-one patients. *Acta Oncol.* 1995;34(6):861-870.
20. Uematsu M, Shioda A, Tahara K, et al. Focal, high dose, and fractionated modified stereotactic radiation therapy for lung carcinoma patients: A preliminary experience. *Cancer.* 1998;82(6):1062-1070.
21. Tokuuye K, Sumi M, Ikeda H, et al. Technical considerations for fractionated stereotactic radiotherapy of hepatocellular carcinoma. *Jpn J Clin Oncol.* 1997;27(3):170-173.
22. Ryu SI, Chang SD, Kim DH, et al. Image-guided hypo-fractionated stereotactic radiosurgery to spinal lesions. *Neurosurgery.* 2001;49(4):838-846.
23. Takacs I, Hamilton AJ. Extracranial stereotactic radiosurgery: Applications for the spine and beyond. *Neurosurg Clin N Am.* 1999;10(2):257-270.
24. Hamilton AJ, Lulu BA, Fosmire H, et al. LINAC-based spinal stereotactic radiosurgery. *Stereotact Funct Neurosurg.* 1996;66(1-3):1-9.
25. Murphy MJ, Adler JR Jr, Bodduluri M, et al. Image-guided radiosurgery for the spine and pancreas. *Comput Aided Surg.* 2000;5(4):278-288.
26. Chang SD, Meisel JA, Hancock SL, et al. Treatment of hemangioblastomas in von Hippel-Lindau disease with linear accelerator-based radiosurgery. *Neurosurgery.* 1998;43(1):28-35.
27. Pate IN, Sandeman DR, Cobby M, et al. Interactive image-guided surgery of the spine--use of the ISG/Elekta Viewing Wand to aid intraoperative localization of a sacral osteoblastoma. *Br J Neurosurg.* 1997;11(1):60-64.
28. Rosenfeld JV. Minimally invasive neurosurgery. *Aust N Z J Surg.* 1996;66(8):553-559.
29. Hamilton AJ, Lulu BA, Fosmire H, et al. Preliminary clinical experience with linear accelerator-based spinal stereotactic radiosurgery. *Neurosurgery.* 1995;36(2):311-319.
30. Lohr F, Debus J, Frank C, et al. Noninvasive patient fixation for extracranial

- stereotactic radiotherapy. *Int J Radiat Oncol Biol Phys.* 1999;45(2):521-527.
31. Chang SD, Murphy M, Geis P, et al. Clinical experience with image-guided robotic radiosurgery (the Cyberknife) in the treatment of brain and spinal cord tumors. *Neurol Med Chir (Tokyo).* 1998;38(11):780-783.
32. Alberta Heritage Foundation for Medical Research (AHFMR). Body stereotactic radiosurgery. Edmonton, AB: AHFMR; 1998.
33. Douglas JG, Margolin K. The treatment of brain metastases from malignant melanoma. *Semin Oncol.* 2002;29(5):518-524.
34. Roland PS, Eston D. Stereotactic radiosurgery of acoustic tumors. *Otolaryngol Clin North Am.* 2002;35(2):343-355.
35. Fleetwood IG, Steinberg GK. Arteriovenous malformations. *Lancet.*
36. Smith JL, Garg B. Treatment of arteriovenous malformations of the brain. *Curr Neurol Neurosci Rep.* 2002;2(1):44-49.
37. Kondziolka D, Lunsford LD, Flickinger JC. Stereotactic radiosurgery for the treatment of trigeminal neuralgia. *Clin J Pain.* 2002;18(1):42-47.
38. Shimamoto S, Inoue T, Shiomi H, et al. CyberKnife stereotactic irradiation for metastatic brain tumors. *Radiat Med.* 2002;20(6):299-304.
39. Hailey D. Stereotactic radiosurgery: An update. Information Paper; IP 12. Edmonton, AB: Alberta Heritage Foundation for Medical Research (AHFMR); July, 2002.
40. Medical Services Advisory Committee (MSAC). Gamma knife radiosurgery. Assessment Report. MSAC Application 1028. Canberra, Australia: MSAC; October 2000.
41. Michell AW. Stereotactic radiosurgery for brain tumours and arteriovenous malformations. STEER: Succinct and Timely Evaluated Evidence Reviews. Bazian, Ltd., eds. London, UK: Wessex Institute for Health Research and Development, University of Southampton; 2001;1(13).
42. Hassen-Khodja R. Gamma knife and linear accelerator stereotactic radiosurgery. Montreal, QC: Agence d'Evaluation des Technologies et des Modes d'Intervention en Sante (AETMIS); 2002.
43. Swedish Council on Technology Assessment in Health Care (SBU). Stereotactic radiosurgery in treating arteriovenous malformations of the brain - early assessment briefs (Alert). Stockholm, Sweden: SBU; 2002.
44. Chang SD, Main W, Martin DP, et al. An analysis of the accuracy of the CyberKnife: A robotic frameless stereotactic radiosurgical system. *Neurosurgery.* 2003;52(1):140-146; discussion 146-147.
45. Stieber VW, Bourland JD, Tome WA, Mehta MP. Gentlemen (and ladies), choose your weapons: Gamma knife vs. linear accelerator radiosurgery. *Technol Cancer Res Treat.* 2003;2(2):79-86.

46. Gerosa M, Nicolato A, Foroni R. The role of gamma knife radiosurgery in the treatment of primary and metastatic brain tumors. *Curr Opin Oncol.* 2003;15(3):188-196.
47. Yamakami I, Uchino Y, Kobayashi E, Yamaura A. Conservative management, gamma-knife radiosurgery, and microsurgery for acoustic neurinomas: A systematic review of outcome and risk of three therapeutic options. *Neurol Res.* 2003;25(7):682-690.
48. National Institute for Clinical Excellence (NICE). Stereotactic radiosurgery for trigeminal neuralgia using the gamma knife. *Interventional Procedure Guidance 11.* London, UK: NICE; September 2003. Available at: http://www.nice.org.uk/cms/htm/default/en/IP_173/ipg011guidance/docref.aspx. Accessed February 5, 2004.
49. Alberta Heritage Foundation for Medical Research (AHFMR). Cyberknife. Report. Edmonton, AB: AHFMR; 1999.
50. Ohinmaa A. Cost estimation of stereotactic radiosurgery: Application to Alberta. Information Paper 14. Edmonton, AB: Alberta Heritage Foundation for Medical Research (AHFMR); 2003.
51. Hassen-Khodja R. Gamma knife and linear accelerator stereotactic radiosurgery. AETMIS 02-03 RF. Montreal, QC: Agence d'Evaluation des Technologies et des Modes d'Intervention en Sante (AETMIS); 2002.
52. Ontario Ministry of Health and Long-Term Care, Medical Advisory Secretariat. Gamma knife. Health Technology Scientific Literature Review. Toronto, ON: Ontario Ministry of Health and Long-Term Care; May 2002. Available at: <http://www.health.gov.on.ca/english/providers/program/mas/archive.html>. Accessed August 4, 2004.
53. Regis J, Rey M, Bartolomei F, et al. Gamma knife surgery in mesial temporal lobe epilepsy: A prospective multicenter study. *Epilepsia.* 2004;45(5):504-515.
54. McKhann GM 2nd. Novel surgical treatments for epilepsy. *Curr Neurol Neurosci Rep.* 2004;4(4):335-339.
55. Srikiivilaikul T, Najm I, Foldvary-Schaefer N, et al. Failure of gamma knife radiosurgery for mesial temporal lobe epilepsy: Report of five cases. *Neurosurgery.* 2004;54(6):1395-1402; discussion 1402-1404.
56. Beitler JJ, Makara D, Silverman P, Lederman G. Definitive, high-dose-per-fraction, conformal, stereotactic external radiation for renal cell carcinoma. *Am J Clin Oncol.* 2004;27(6):646-648.
57. Donnet A, Valade D, Regis J. Gamma knife treatment for refractory cluster headache: Prospective open trial. *J Neurol Neurosurg Psychiatry.* 2005;76(2):218-21.
58. Nagata Y, Takayama K, Matsuo Y, et al. Clinical outcomes of a phase I/II study of 48 Gy of stereotactic body radiotherapy in 4 fractions for primary lung cancer using a

- stereotactic body frame. *Int J Radiat Oncol Biol Phys.* 2005;63(5):1427-1431.
59. McGarry RC, Papiez L, Williams M, et al. Stereotactic body radiation therapy of early-stage non-small-cell lung carcinoma: Phase I study. *Int J Radiat Oncol Biol Phys.* 2005;63(4):1010-1015.
60. Hiraoka M, Nagata Y. Stereotactic body radiation therapy for early-stage non-small-cell lung cancer: The Japanese experience. *Int J Clin Oncol.* 2004;9(5):352-355.
61. Lee SW, Choi EK, Park HJ, et al. Stereotactic body frame based fractionated radiosurgery on consecutive days for primary or metastatic tumors in the lung. *Lung Cancer.* 2003;40(3):309-315.
62. Timmerman R, Papiez L, McGarry R, et al. Extracranial stereotactic radioablation: Results of a Phase I study in medically inoperable stage I non-small cell lung cancer. *Chest.* 2003;124(5):1946-1955.
63. Whyte RI, Crownover R, Murphy MJ, et al. Stereotactic radiosurgery for lung tumors: Preliminary report of a phase I trial. *Ann Thorac Surg.* 2003;75(4):1097-1101.
64. Hara R, Itami J, Kondo T, et al. Stereotactic single high dose irradiation of lung tumors under respiratory gating. *Radiother Oncol.* 2002;63(2):159-163.
65. Uematsu M, Shioda A, Suda A, et al. Computed tomography-guided frameless stereotactic radiotherapy for Stage I non-small cell lung cancer: A 5-year experience. *Int J Radiat Oncol Biol Phys.* 2001;51(3):666-670.
66. Schefter TE, Kavanagh BD, Timmerman RD, et al. A phase I trial of stereotactic body radiation therapy (SBRT) for liver metastases. *Int J Radiat Oncol Biol Phys.* 2005;62(5):1371-1378.
67. Hoyer M, Roed H, Sengelov L, et al. Phase-II study on stereotactic radiotherapy of locally advanced pancreatic carcinoma. *Radiother Oncol.* 2005;76(1):48-53.
68. Wersäll PJ, Blomgren H, Lax I, et al. Extracranial stereotactic radiotherapy for primary and metastatic renal cell carcinoma. *Radiother Oncol.* 2005;77(1):88-95.
69. Zakrzewska JM, Lopez BC. Trigeminal neuralgia. In: BMJ Clinical Evidence. London, UK: BMJ Publishing Group; August 2005.
70. Mathieu D, Kondziolka D, Niranjan A, et al. Gamma knife radiosurgery for refractory epilepsy caused by hypothalamic hamartomas. *Stereotact Funct Neurosurg.* 2006;84(2-3):82-87.
71. Romanelli P, Anschel DJ. Radiosurgery for epilepsy. *Lancet Neurol.* 2006;5(7):613-620.
72. Regis J, Scavarda D, Tamura M, et al. Epilepsy related to hypothalamic hamartomas: Surgical management with special reference to gamma knife surgery. *Childs Nerv Syst.* 2006;22(8):881-895.
73. Eder HG, Feichtinger M, Pieper T, et al. Gamma knife radiosurgery for callosotomy

- in children with drug-resistant epilepsy. *Childs Nerv Syst.* 2006;22(8):1012-1017.
74. Xia T, Li H, Sun Q, et al. Promising clinical outcome of stereotactic body radiation therapy for patients with inoperable Stage I/II non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys.* 2006;66(1):117-125.
75. Medical Services Advisory Committee (MSAC). Gamma knife stereotactic radiosurgery. MSAC Reference 34. Canberra, ACT: MSAC; 2006.
76. Al-Shahi R, Warlow CP. Interventions for treating brain arteriovenous malformations in adults. *Cochrane Database Syst Rev.* 2006;(1):CD003436.
77. Fuentes R, Bonfill X, Exposito J. Surgery versus radiosurgery for patients with a solitary brain metastasis from non-small cell lung cancer. *Cochrane Database Syst Rev.* 2006;(1):CD004840.
78. Chang ST, Goodman KA, Yang GP, Koong AC. Stereotactic body radiotherapy for unresectable pancreatic cancer. *Front Radiat Ther Oncol.* 2007;40:386-394.
79. Hoyer M, Roed H, Traberg Hansen A, et al. Phase II study on stereotactic body radiotherapy of colorectal metastases. *Acta Oncol.* 2006;45(7):823-830.
80. Haute Autorite de sante/French National Authority for Health (HAS). Value of extracranial stereotactic radiotherapy [summary]. Saint-Denis La Plaine, France: HAS; 2007.
81. American Society for Therapeutic Radiation and Oncology (ASTRO). The ASTRO/ACR Guide to Radiation Oncology Coding 2007. Fairfax, VA: ASTRO; 2007.
82. Muacevic A, Wowra B, Siefert A, et al. Microsurgery plus whole brain irradiation versus Gamma Knife surgery alone for treatment of single metastases to the brain: A randomized controlled multicentre phase III trial. *J Neurooncol.* 2008;87(3):299-307.
83. Bartolomei F, Hayashi M, Tamura M, et al. Long-term efficacy of gamma knife radiosurgery in mesial temporal lobe epilepsy. *Neurology.* 2008;70(19):1658-1663.
84. Spencer SS. Gamma knife radiosurgery for refractory medial temporal lobe epilepsy: Too little, too late? *Neurology.* 2008;70(19):1654-1655.
85. Kondziolka D, Lunsford LD, Flickinger JC. The application of stereotactic radiosurgery to disorders of the brain. *Neurosurgery.* 2008;62 Suppl 2:707-719; discussion 719-720.
86. Quigg M, Barbaro NM. Stereotactic radiosurgery for treatment of epilepsy. *Arch Neurol.* 2008;65(2):177-183.
87. Tse RV, Hawkins M, Lockwood G, et al. Phase I study of individualized stereotactic body radiotherapy for hepatocellular carcinoma and intrahepatic cholangiocarcinoma. *J Clin Oncol.* 2008;26(4):657-664.
88. Adams E. Stereotactic radiosurgery: Bibliography update. Boston: VA Technology Assessment Program (VATAP); June 2007.

89. Buyyounouski M, Miller R, Schefter T, et al. Stereotactic body radiotherapy (SBRT) for primary management of early-stage, low-intermediate risk prostate cancer. Report of the ASTRO Emerging Technology Committee (ETC). Fairfax, VA: American Society for Therapeutic Radiation Oncology (ASTRO); September 19, 2008. Available at: https://www.astro.org/uploadedFiles/Main_Site/Clinical_Practice/Best_Practices/SBRTreport.pdf. Accessed January 25, 2012.
90. Goodman KA, Wiegner EA, Maturen KE, et al. Dose-escalation study of singlefraction stereotactic body radiotherapy for liver malignancies. *Int J Radiat Oncol Biol Phys.* 2010;78(2):486-493.
91. Kopek N, Holt MI, Hansen AT, Høyer M. Stereotactic body radiotherapy for unresectable cholangiocarcinoma. *Radiother Oncol.* 2010;94(1):47-52.
92. Ross J, Al-Shahi Salman R. Interventions for treating brain arteriovenous malformations in adults. *Cochrane Database Syst Rev.* 2010;(7):CD003436.
93. Buyyounouski MK, Balter P, Lewis B, et al. Stereotactic body radiotherapy for early-stage non-small-cell lung cancer: Report of the ASTRO Emerging Technology Committee. *Int J Radiat Oncol Biol Phys.* 2010;78(1):3-10.
94. Buyyounouski MK, Balter P, D'Ambrosio DJ, et al. Stereotactic body radiotherapy for early-stage non-small-cell lung cancer: Report of the ASTRO Emerging Technology Committee. Full Report. Fairfax, VA: American Society for Therapeutic Radiation Oncology (ASTRO); January 12, 2010. Available at: https://www.astro.org/uploadedFiles/Main_Site/Clinical_Practice/Best_Practices/LungSBRT.pdf. Accessed January 25, 2012.
95. Boike TP, Lotan Y, Cho LC, et al. Phase I dose-escalation study of stereotactic body radiation therapy for low- and intermediate-risk prostate cancer. *J Clin Oncol.* 2011;29(15):2020-2026.
96. Tipton KN, Sullivan N, Bruening W, et al. Stereotactic body radiation therapy. Effective Healthcare Program Technical Brief. No. 6. Prepared by the ECRI Institute Evidence-Based Practice Center for the Agency for Healthcare Research and Quality (AHRQ) under Contract No. 290-02-0019. AHRQ Publication No. 10(11)-EHC058-EF. Rockville, MD: AHRQ; May 2, 2011.. Available at: http://effectivehealthcare.ahrq.gov/ehc/products/92/661/StereotacticBody_TechBrief6_20110502.pdf. Accessed January 12, 2012.
97. Small W Jr, Strauss JB, Jhingran A, et al, Expert Panel on Radiation OncologyGynecology. ACR Appropriateness Criteria® definitive therapy for early stage cervical cancer. [online publication]. Reston (VA): American College of Radiology (ACR); 2012. Available at: <http://www.guideline.gov/content.aspx?id=37911&search=Stereotactic+Radiosurgery+>. Accessed January 18, 2013.
98. Senthil S, Haasbeek CJ, Slotman BJ, Senan S. Outcomes of stereotactic ablative radiotherapy for central lung tumours: A systematic review. *Radiother Oncol.*

- 2013;106(3):276-282.
99. Shah A, Hahn SM, Stetson RL, et al. Cost-effectiveness of stereotactic body radiation therapy versus surgical resection for stage I non-small cell lung cancer. *Cancer*. 2013;119(17):3123-3132.
100. Yamada Y, Laufer I, Cox BW, et al. Preliminary results of high-dose single-fraction radiotherapy for the management of chordomas of the spine and sacrum. *Neurosurgery*. 2013;73(4):673-680; discussion 680
101. SBRT ASTRO Model Policy 2020